

## XPS Mega Collection

### Data Sheet


	Method	Parameters	Norm requirements	Values
<b>Technical Data</b>				
Total Thickness				6.5 mm.
XPS Layer				5.0 mm.
100% Virgin PVC Top Layer				1.5 mm.
Plank Width				22 mil
Plank Length				9-3/8"
Units per Box				60"
SF per Box				10
Locking System				38.96
				Unilin Click
<b>Class</b>	EN 13329			32
<b>Warranty</b>		Residential (structural)	See warranty for conditions	Lifetime
<b>Warranty</b>		Light Commercial (struct)	See warranty for conditions	15 Years
<b>Wear Class</b>	EN 13329			22 Mil
<b>Impact Resistance Big Ball</b>	EN 13329		IC 2	IC 1
<b>Scratch Resistance</b>	EN 438-2, 14		Charge >= 3.0 N	8,0N
<b>Staining</b>	EN 438-2, 15	Group 1,2	Class 5	Class 5
		Group 3	Class 4	Class 5
		Group 4	-----	Class 4
<b>Light Fastness</b>	EN 438-2, 16	Bleu reference	Class 6	> 6
<b>Burning Cigarette</b>	EN 438-2, 18		Class 4	Class 5
<b>Dimensional Variations</b>	NF B 54 - 011	Variation length AND width		<=0,10%
<b>Emission of Formaldehyde</b>	EN 717-1			Less than 0.0034ppm
<b>A-Static</b>	EN 1815	Charge human body		<=2,0kV
		23°C and 25% rel. Humidity		
<b>Slip Resistance</b>	EN 13893			DS
<b>Thermal Resistance</b>	ISO 8302			0,051 - 0,061 m <sup>2</sup> K/W
<b>Underfloor Heating</b>		Not Suitable	Ask for specific information	Not Suitable
<b>Fire Classification</b>	EN ISO 9239-1			C <sub>fl</sub>
	BS 476,7			Class 1
	DIN 4102,14			B1



100%  
Waterproof



Dimensionally  
Stable



3 Layer  
1.5mm PVC  
5.0mm XPS



22 MIL (0.55mm)  
Wear Layer



Waxed  
Angle Click



Anti-Static



Registered  
Emboss



Micro-Bevel  
Edges



XPS Core  
Technology



Lifetime  
Warranty



Limited  
Warranty

## **15 years Light Commercial Warranty, Lifetime Residential**

**Parkay Floors®** is so confident in the design and durability of our Parkay flooring products and accessories, that we back them with a Limited Life Time Warranty.<sup>i</sup> This warranty covers defects in material and/or workmanship which relate to staining, fading and wear resistance<sup>ii</sup> during normal light commercial use.

### **Composition**

PVC virgin powder: 51%;

CaCo3: 44% Limestone

Plastic Stabilizer: 2%

### **Stain Resistance**

Parkay ® flooring will resist staining.

### **Fade Resistance**

Parkay ® flooring will resist fading from exposure to sunlight or artificial light.

### **Wear Resistance**

Parkay ® flooring wear layer will not wear through the design layer.

To qualify for any repair or replacement, you will need to provide the original dated sales receipt or other documentation to demonstrate proof of purchase.

## **General Terms and Conditions for Flooring Warranties**

**Parkay Floors®** flooring and accessories carry the specific warranties listed above. In addition to the requirements specified for each of those particular warranties, the following general terms and conditions also apply. If you have questions regarding the warranty information, please contact the manufacturer or retailer.

1. This warranty applies only to the first owner and the first installation of the product and may not be transferred. The “first owner” is the person stated as the buyer on the purchase document(s). This warranty applies only to first quality **Parkay®** brand product purchases made after the edition date of these warranty conditions for the designated time period when the product is installed in a private residence.
2. This product warranty only applies to defects inherent to the material supplied. This means any material or production defects, acknowledged by the manufacturer. Does not include, in beveled-edge products, wear along the edges of the panels less than 3/16” (5mm) from the edge. **Parkay®** will repair or replace the product, at its option. When replacement of the flooring is made, only new panels from the current product range at the time the complaint is upheld will be supplied by the distributor or retailer. There will be no other form of compensation. Responsibility under this warranty only applies to hidden defects. These are

defects that were not visible before or during the installation of the XPS Mega floors. If the product was originally installed by a licensed and insured professional, **Parkay**® will cover reasonable labor costs. **Parkay**® can never be held liable and is not responsible for any secondary damage.

3. This warranty applies only to first quality **Parkay**® brand product installed according to the manufacturer's recommended installation instructions in indoor commercial spaces. We recommend using the approved **Parkay**® accessories as they have been specifically designed and tested for use with **Parkay**® flooring panels. The use of accessories other than **Parkay**® accessories might cause damage to the **Parkay**® floor. In such cases, the warranty provided by **Parkay**® will be void. Proof of compliance with the installation and maintenance instructions recommended by the manufacturer must be provided if a claim is filed. These instructions are located inside 1 out of every 3 flooring cartons or in each individual accessory package. If the instructions are not there, they should be requested from the manufacturer, distributor or retailer. If installation is not performed by the end user, at least one copy of the installation and maintenance instructions and this commercial warranty must be provided to the end user by the installer.
4. This warranty does not apply to XPS Mega flooring that has been put to abnormal use or conditions or abused in any way. "Abnormal use or conditions" includes, damage from smoke, fire, acts of god or other casualty events; damage caused by negligence, improper alterations of the original manufactured product. "Abuse" is any use of the flooring that is unreasonable considering the normal and expected uses of XPS Mega flooring in a commercial environment. The damage to the product must be evident, measuring, per product unit (panel, accessory, etc.) at least 1.40 square centimeter or 0.5 square inch, and must not be the result of abusive, abnormal conditions or accidents, such as but not limited to, damage of mechanical nature, severe impact or scratches (caused by dragging objects or furniture) or cutting. The feet of furniture must always be covered with appropriate protective material. Chairs, sofas or furniture with castors must be fitted with soft rubber wheels, an adequate protective mat or protective castor cups must be put under this furniture.
5. A suitable mat or sufficiently large transition area at the entrance door(s) must be used to prevent sand and/or dust from damaging the flooring.
6. This warranty does not apply to damage from exposure to extreme heat, dryness, or stains as a result of chemical or industrial products (other than recommended cleaning products). The floor may not be installed in damp and/or humid areas, in extremely dry areas or areas where there are extremely high temperatures (such as saunas or swimming pool areas).
7. XPS Mega is a %100 waterproof product and will not be significantly damaged by contact with water sporadically throughout the length of its warranty. It's to be considered that prolonged exposure to liquids may create mildew and mold which will annulled the warranty. This warranty excludes damage caused by natural disasters (i.e. floods), naturally occurring conditions/accidents (i.e. appliance and plumbing failures), urine or standing water.
8. Flooring panels or accessories must be checked carefully for material defects before and during installation and under sufficient lighting. Products with visible defects must not be installed under any circumstances. The distributor or retailer must be informed in writing of such defects within 15 days. After this time has elapsed, no further complaints will be accepted. Color and gloss issues resulting from material added to an existing installation at a later date and non-warranty repairs are excluded from coverage.
9. Warranty will not be valid if product is installed outdoor.

10. Under no circumstances **Parkay**® will be responsible for any loss of time, inconvenience, expenses, costs or other consequential damages caused by or resulting directly or indirectly from a problem about which a claim was made.
11. **Parkay**® **OFFERS NO OTHER WARRANTY, EXPRESS OR IMPLIED, THAN THE ONE DESCRIBED HEREIN, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR SUITABILITY OF THE PRODUCT FOR A PARTICULAR PURPOSE, AND NO OTHER REMEDIES SHALL BE AVAILABLE EXCEPT FOR THOSE PROVIDED HEREIN.** Some states or countries do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you.
12. The general warranty is pro rata (5 years for flooring). A pro rata warranty is one that provides for a refund or credit that decreases according to a set formula as the warranty period progresses. The **Parkay**® original warranty value is reduced by the amount of time that you own it. When a claim is made, the value of the warranty becomes a percentage of ownership per year based upon the 30 years for the general warranty for flooring accessories. Any services provided as part of this warranty do not extend the original warranty period. If the product for which a claim is made is no longer available, the customer will be able to choose a **Parkay**® product of equal value from the current product range.
13. If there is a conflict between these general terms and conditions and the terms and conditions of the warranties as specified, the terms and conditions of the warranties as specified shall control.

For service under this warranty or technical questions, please go to [WWW.PARKAYFLOORS.COM](http://WWW.PARKAYFLOORS.COM) or contact your local retailer.

---

<sup>i</sup> See General Terms and Conditions point 13

<sup>ii</sup> See General Terms and Conditions points 1-13